

DECLARATION OF PERFORMANCE

Sikafloor®-2 SynTop

EN 13813: 2002

10

| 02 08 15 01 | 002 0 | 000010 | 1180 |
|-------------|-------|--------|------|
|-------------|-------|--------|------|



| 1 | UNIQUE IDENTIFICATION | Sikafloor®-2 SynTop Batch No. see packaging | |
|---|--|---|--|
| | of the product-type: | | |
| 2 | INTENDED USE or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Cementitous dryshake for floor screeds - corresponding to the basic performance requirements of EN 13813:2002: CT-C70-F7-AR0,5. Conforming to the Table ZA.1.1 & ZA.3.3. | |
| 3 | MANUFACTURER registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5): | Sika® Sika CZ, s.r.o. Bystrcká 1132/36 CZ-624 00 Brno | |
| 4 | AVCP System or systems of assessment and verification of constancy of performace (AVCP) or the construction product as set out in CPR, Annex V: | EN 13813: System 4 | |
| 5 | HARMONISED STANDARDS | EN 13813: 2002 | |
| 6 | NOTIFIED BODY In case of the declaration of performance (DoP)concerning a construction product covered by a harmonised standard: | The producer set up the factory production control of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of the factory production control. | |

Declaration of Performance

Sikafloor®-2 SynTop 01.05.2015, Version no. 01 Identification nr. 02 08 15 01 002 0 000010 1180



7 DECLARED PERFORMANCE

| Essential characteristics | Performance | System of assessment and verification of constancy of performance | Harmonised technical specification |
|--|------------------|---|------------------------------------|
| Release of dangerous substances | СТ | - | |
| Water permeability | NPD | EN 1062-3 | <u> </u> |
| Water vapour permeability | NPD | EN 12086 | |
| Compressive strength | C70 | EN 13892-2 | <u> </u> |
| Flexural strength | F7 | EN 13892-2 | <u> </u> |
| Wear resistance – BCA determination | AR0,5 | EN 13892-4 | EN 13813:2002 |
| Bond strength | NPD | EN 13892-8 | |
| Sound insulation | NPD | EN 140-6 | <u> </u> |
| Sound absorption | NPD | EN 12354-6 | <u> </u> |
| Thermal resistance | NPD | EN 12664 | <u> </u> |
| Chemical resistance | NPD | EN 13529 | |
| Reaction to fire | A1 _{fl} | EN 13501 | <u> </u> |

NPD - no performance determinated

8 APPROPRIATE TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

Name: Ing. Jaroslav Leischner Position: Quality and EHS Manager Name: Ing. Andrej Šišolák

Position: General Manager SIKA CZ, s.r.o.

Leschner

Brno, 01.05.2015

Brno, 01.05.2015

REACH INFORMACE

European Community Regulation on chemicals and their safe use (REACH: EC 1907/2006)

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in this product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation, or on the candidate list published by the European Chemicals Agency in concentrations above 0.1% (w/w).

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data. They can be downloaded at www.cz.sika.com directely requested at Sika.

LEGAL NOTE

This information is given in good faith based on Sika's current knowledge and experience of the products when



Identification nr. 02 08 15 01 002 0 000010 1180

properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

9 CE MARK



Sika CZ, s.r.o., Bystrcká 1132/36, 624 00 Brno Factory 1180 10 02 08 15 01 002 0 000010 1180 EN 13813:2002

Screed material and floor screeds - corresponding to the basic performance requirements of EN 13813:2002: CT-C70-F7-AR0,5.

Conforming to the Table ZA.1.1 & ZA.3.3.

| Essential characteristics | Performance |
|---------------------------|-------------|
| Release of dangerous | СТ |
| substances | |
| Water permeability | NPD |
| Water vapour permeability | NPD |
| Compressive strength | C70 |
| Flexural strength | F7 |
| Wear resistance – BCA | AR0,5 |
| determination | |
| Bond strength | NPD |
| Sound insulation | NPD |
| Sound absorption | NPD |
| Thermal resistance | NPD |
| Chemical resistance | NPD |
| | |

For more information contact:

Sika CZ, s.r.o., Bystrcká 1132/36, CZ 624 00 Brno

tel: +420 546 422 464 Fax: +420 546 422 400 E-mail: sika@cz.sika.com



Sikafloor®-2 SynTop 01.01.2015, Version no. 01 Identification nr. 02 08 15 01 002 0 000010 1180



